PART IV

Section—2-C (i)

GENERAL STATUTORY RULES ISSUED BY THE STATE GOVERNMENT UNDER THE CENTRAL ACTS AND STATE ACTS AND RULES MADE BY THE GOVERNOR UNDER THE CONSTITUTION.

RURAL DEVELOPMENT AND CO-OPERATION SECRETARIAT

Notification No. RDC 47 CWM 75.

Bangalore, dated 2nd August 1976.

G S. R. 236.—The draft of the following rules further to amend the Karnataka Weights and Measures (Enforcement) Rules, 1959 which the Government of Karnataka proposes to make in exercise of the powers conferred by Section 42 of the Karnataka Weights and Mersures (Enforcement) Act, 1958 (Karnataka Act 2 of 1959) is hereby published as required by sub-section (4) of the said section for the information of all persons likely to be affected thereby and notice is hereby given that the said draft rules will be taken into consideration on or after 25th September 1976.

Any objection or suggestion which may be received from any person by the State Government in respect of the said draft before the date specified above will be considered by the Government. Objections or suggestions may be addressed to the Commissioner, Special Economic Programme and Ex-Officio Secretary to Government, Rural Development and Co operation Department, P.B. No. 5318, Vidhana Soudha, Bangalore-1.

1. Title and commencement:—(1) These rules may be called the Karnataka Weights and Measures (Enforcement) (Amendment) Rules, 1976.

(2) They shall come into force at once.

2. Amendment of Schedule V:—In Schedule V of the Karnataka Weights and Measures (Enforcement) Rules, 1959 after Part VI, the following part shall be inserted, namely:—

"Part VI-A

Commercial dry capacity measures for measuring Puri (Parched Rice), Avalakki (Beaten Rice), Fried Grains (Chinakurali) Groundnuts and Putani. These measurs are restricted to retail trade by small vendors/hawkers only".

Denominations and Dimensions :—

The following Tables gives the denominations of the Measures with details regarding the diameter and depth of vessels and thickness of material:—

Sl. No.	Denomination CMS	Depth in CMS	Internal Diameter in CMS	Thickness of material
(1)	(2)	(3)	(4)	(5)
1.	1 Litre	15-00	9-20-20	S.W.G.
2.	500 ML.	10-00	7-98-20	do
3.	200ML.	7-50	5-83-20	do
4.	100 ML.	6-00	4-60	do

Permissable Errors

Denomination.	Verification	Inspection	
	Errors in excess only (in mill Litres)	Excess (in MIL)	Deficiency (in MIL)
(1)	(2)	(3)	(4)
1 L	20	20	10
500 ML	15	15	7.5
200 ML	8	8	4
100 ML	5	5	2.5

By Order and in the name of the Governor of Karnataka,

M. V. LAKSHMINARASIMHAIAH,
Under Secy. to Govt. Rural Devl. and Co. opn. Dept.

100